RIVER SYSTEMS Since 1961

for your work...for your hobby

per il lavoro...per l'hobby

pour votre travail...pour votre hobby

The catalog

Il catalogo - Le catalogue

River Systems S.r.l.

Head office

Via Marco Polo, n. 33 (Z.I.)

35011 Campodarsego

PADOVA – ITALY

Tel.: + 39 049 9202464

Fax.: + 39 049 9216057

E-mail: info@riversystems.it

www.riversystems.it

Offices and warehouse

Via Pontarola, n. 15/A (Z.I.)

35011 Campodarsego

PADOVA – ITALY

Revision 4 (25.01.2020)

INDEX

-	Drinkers for poultry	PAGE	1.1
-	Drinkers for rabbits	PAGE	1.7
-	Drinkers for pigeons	PAGE	1.8
-	Drinkers for pigs	PAGE	1.9

-	Feeders for poultry	PAGE	2.1
-	Feeders for rabbits	PAGE	2.11
-	Feeders - various	PAGE	2.13
-	Feeders for pigeons	PAGE	2.13

-	Incubators	PAGE	3.1
-	Accessories	PAGE	3.4
-	Heaters	PAGE	3.5

-	Plucking machines	PAGE	4.1
-	Accessories	PAGE	4.2

-	Grinding mills	PAGE	5.1

-	Accessories	PAGE	6.1

ANNEXES

- Drinkers with handle	PAGE	I
- Drinkers with handle and legs	PAGE	II
- Disc bottle holder drinker	PAGE	III
- Horizontal nipple drinker STILLA	PAGE	IV
- Treadle feeders ALMA	PAGE	V
- Feeders COMPACTA	PAGE	VI
- Feeders ARCUS	PAGE	VII
- Feeders ARCUS GYRO	PAGE	VIII
- Feeders with legs	PAGE	IX
- 500 Kg feeder GRANDIA	PAGE	X
- Turkey feeders	PAGE	XI
- Incubator ET 12 semi-automatic	PAGE	XII
- Incubator ET 24 semi-automatic	PAGE	XIII
- Incubator ET 49 semi-automatic	PAGE	XIV
- Ultrasonic humidifier for humidity control NEBULA®	PAG.	XV
- Plucking machines PIUMINA	PAGE	XVI
- Plucking machine PIUMONA	PAGE	XVII

RIVER SYSTEMS Since 1961

DRINKERS

RIVER SYSTEMS

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	137/A	**Disc bottle holder drinker for chicks** *Packing in carton: 15 pcs. – Vol. 0,045 m³ – Kg. 3,27* *630 pcs. on pallet 120x80x245 cm* *810 pcs. on pallet 120x100x236 cm* *Animals/drinker: 10 chicks*	8 068057 259200
	137	**1,5 litre plastic poultry drinker** *Packing in carton: 25 pcs. – Vol. 0,045 m³ – Kg. 5,0* *800 pcs. on pallet 120x80x234 cm* *1200 pcs. on pallet 120x109x230 cm* *Animals/drinker: 2-3 chickens*	8 068057 258159
	138	**3 litre plastic poultry drinker** *Packing in carton: 25 pcs. – Vol. 0,074 m³ – Kg. 6,0* *650 pcs. on pallet 120x80x229 cm* *900 pcs. on pallet 120x100x231 cm* *Animals/drinker: 4-5 chickens*	8 068057 258166
	139	**5 litre plastic poultry drinker** *Packing in carton: 25 pcs. – Vol. 0,087 m³ – Kg. 9,5* *450 pcs. on pallet 120x80x235 cm* *650 pcs. on pallet 120x100x235 cm* *Animals/drinker: 6-8 chickens*	8 068057 258173
	140	**10 litre plastic poultry drinker** *Packing in carton: 10 pcs. – Vol. 0,095 m³ – Kg. 8,0* *200 pcs. on pallet 123x80x219 cm* *250 pcs. on pallet 123x102x219 cm* *Animals/drinker: 10 chickens*	8 068057 258180
	139/MN	**5 litre plastic poultry drinker with handle** *Packing in carton: 10 pcs. – Vol. 0,113 m³ – Kg. 7,80* *140 pcs. on pallet 120x80x242 cm* *240 pcs. on pallet 127x106x235 cm*	8 068057 259217
	139/MN/P	**5 litre plastic poultry drinker with handle and legs** *Packing in carton: 10 pcs. – Vol. 0,113 m³ – Kg. 8,45* *140 pcs. on pallet 120x80x242 cm* *240 pcs. on pallet 127x106x235 cm*	8 068057 260602

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	140/MN	**10 litre plastic poultry drinker with handle** *Packing in carton: 10 pcs. – Vol. 0,136 m^3 – Kg. 8,74* *120 pcs. on pallet 120x80x241 cm* *180 pcs. on pallet 124x100x241 cm* *In container 20': 3.200 pcs. stacked*	8 068057 259255
	140/MN/P	**10 litre plastic poultry drinker with handle and legs** *Packing in carton: 10 pcs. – Vol. 0,136 m^3 – Kg. 9,39* *120 pcs. on pallet 120x80x241 cm* *180 pcs. on pallet 124x100x241 cm*	8 068057 260619
	1415	**15 litre plastic poultry drinker with handle** *Packing in carton: 8 pcs. – Vol. 0,144 m^3 – Kg. 8,18* *96 pcs. on pallet 120x80x241 cm* *144 pcs. on pallet 124x100x241 cm* *Animals/drinker: ~18 chickens*	8 068057 260756
	1415P	**15 litre plastic poultry drinker with handle and legs** *Packing in carton: 8 pcs. – Vol. 0,144 m^3 – Kg. 8,66* *96 pcs. on pallet 120x80x241 cm* *144 pcs. on pallet 124x100x241 cm* *Animals/drinker: ~18 chickens*	8 068057 260763

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	140/B	**15 litre plastic poultry drinker with handle cap** *Packing in carton: 4 pcs. – Vol. 0,113 m^3 – Kg. 4,40* *56 pcs. on pallet 120x80x242 cm* *96 pcs. on pallet 127x106x235 cm* *Animals/drinker: 15 chickens*	8 068057 259224
	140/B/P	**15 litre plastic poultry drinker with handle cap and legs** *Packing in carton: 4 pcs. – Vol. 0,113 m^3 – Kg. 4,66* *56 pcs. on pallet 120x80x242 cm* *96 pcs. on pallet 127x106x235 cm* *Animals/drinker: 15 chickens*	8 068057 260626
	1801	**4-piece kit of push-in legs in neutral bag** *Packing in bag: 4 pcs. – Kg. 0,06*	8 068057 260718
	1801-90	**4-piece kit of push-in legs in hangable bag** *Confez. in sacchetto: 4 pcs. – Kg. 0,06*	8 068057 260947
	1401	**"STILLA"** **Side mounted horizontal nipple drinker** *Packing in bag or carton* *Animals/drinker: 4-5 chickens*	8 068057 260411

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	141	**Constant level galvanised tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 22 litres** *Packing in carton: 1 pcs. – Vol. 0,049 m^3 – Kg. 3,56* *36 pcs. on pallet 120x80x224 cm* *51 pcs. on pallet 120x105x224 cm*	8 068057 258197
	141/A	**Constant level plastic tripod drinker type 30 litres for chickens / laying hens / turkeys. Actual capacity: approx. 24 litres** *Packing in carton: 1 pcs. – Vol. 0,070 m^3 – Kg. 3,0* *24 pcs. on pallet 120x80x224 cm* *36 pcs. on pallet 120x105x232 cm*	8 068057 259262
	8020	**Hanging automatic bell drinker with valve for 6x9mm hose - for chickens / laying hens / poults (day-old turkeys)** *Packing in carton: 10 pcs. – Vol. 0,091 m^3 – Kg. 15,0* *200 pcs. on pallet 123x80x219 cm* *250 pcs. on pallet 123x102x219 cm* *In container 20': 6.000 pcs. stacked*	8 068057 261302
	8021	**Hanging automatic bell drinker with valve for 6x9mm hose, complete with 2m of hose and saddle connector**	8 068057 261319
	8022	**Hanging automatic bell drinker with valve for 6x9mm hose, complete with 3m of hose and saddle connector**	8 068057 261326
	8023	**Hanging automatic bell drinker with valve for 12x17mm hose - for chickens / laying hens / poults (day-old turkeys)** *Packing in carton: 10 pcs. – Vol. 0,091 m^3 – Kg. 15,0* *200 pcs. on pallet 123x80x219 cm* *250 pcs. on pallet 123x102x219 cm* *In container 20': 6.000 pcs. stacked*	8 068057 261333

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	8024	**Hanging automatic bell drinker with valve for 12x17mm hose, complete with 2m of hose and saddle connector**	8 068057 261340
	8025	**Hanging automatic bell drinker with valve for 12x17mm hose, complete with 3m of hose and saddle connector**	8 068057 261357
	1020	**White saddle connector for automatic bell drinker item no. 8020-8021-8022**	8 068057 261388
	143/A	**Saddle connector for automatic bell drinker item no. 8023-8024-8025**	8 068057 261401
	4105-05	**PVC black pipe 6x9mm** *Packing in roll: 50 m*	8 068057 259743
	239	**PVC green hose 12x17mm**	8 068057 261395

Hobby Line

DRINKERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	144	**Linear drinker with L=2 m stainless steel trough, for chicks / chickens / laying hens** *Packing: 3 pcs. – Vol. 0,024 m^3 – Kg. 15,7*	8 068057 258227
	142	**Galvanised hanging drinker L=300 mm** *Packing in carton: 24 pcs. – Vol. 0,05 m^3 – Kg. 6,40* *816 pcs. on pallet 120x80x245 cm* *1224 pcs. on pallet 120x100x245 cm*	8 068057 258203
	142/A	**Galvanised hanging drinker L=410 mm** *Packing in carton: 24 pcs. – Vol. 0,066 m^3 – Kg. 7,60* *816 pcs. on pallet 122x86x230 cm* *816 pcs. on pallet 122x100x230 cm*	8 068057 259279
	142/B	**Galvanised hanging drinker L=500 mm** *Packing in carton: 24 pcs. – Vol. 0,097 m^3 – Kg. 8,90* *384 pcs. on pallet 120x80x222 cm* *672 pcs. on pallet 124x104x230 cm*	8 068057 259286
	142/C	**Galvanised hanging drinker L=600 mm** *Packing in carton: 24 pcs. – Vol. 0,132 m^3 – Kg. 9,90* *384 pcs. on pallet 126x84x214 cm* *480 pcs. on pallet 126x100x224 cm*	8 068057 259293
	142/D	**Galvanised hanging drinker L=1000 mm** *Packing in carton: 24 pcs . – Vol. 0,214 m^3 – Kg. 15,50* *192 pcs. on pallet 120x84x214 cm* *288 pcs. on pallet 126x102x214 cm*	8 068057 259309
	8001	**Free range drinking system** – dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 stainless steel 360° nipples *Packing in carton: 1 pcs.*	8 068057 258524
	8002	**NEW** **Drinking system with horizontal drinker Stilla** Dim. 60x118 cm, h=80 cm, adjustable height from 7 to 70 cm from the ground. 16 Stilla nipples *Packing in carton: 1 pcs.*	8 068057 261449

Hobby Line

DRINKERS for rabbits

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	145	**Galvanised bottle holder drinker with plastic ring** *Packing in carton: 50 pcs. – Vol. 0,045 m^3 – Kg. 7,5* *1600 pcs. on pallet 120x80x234 cm* *2400 pcs. on pallet 120x102x234 cm*	8 068057 258234
	145/A	**Plastic bottle holder drinker** *Packing in carton: 100 pcs. – Vol. 0,078 m^3 – Kg. 11,7* *2400 pcs. on pallet 122x81x212 cm* *3000 pcs. on pallet 122x102x212 cm*	8 068057 259330
	145/N	**Galvanised bottle holder drinker** *Packing in carton: 50 pcs. – Vol. 0,067 m^3 – Kg. 7,67* *1500 pcs. on pallet 120x81x219 cm*	8 068057 259453
	145/B	**Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple** *Packing in carton: 300 pcs. – Vol. 0,027 m^3 – Kg. 9,0*	8 068057 259347
	145/B/ CLIP	**Stainless steel clip with nipple holder** *Packing in carton*	8 068057 259354
	145/M	**Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple** *Packing in carton: 300 pcs. – Vol. 0,027 m^3 – Kg. 13,5*	8 068057 259439
	145/M/ CLIP	**Screw bracket (screws excluded) complete with nipple holder, T connection** *Packing in carton*	8 068057 259446

Hobby Line

DRINKERS for rabbits

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	145/F	**Drinker with 0,5 l tank, stainless steel nipple** *Packing in carton: 24 pcs. – Vol. 0,026 m³ – Kg. 2,73* *1824 pcs. on pallet 120x80x248 cm* *2400 pcs. on pallet 120x100x248 cm*	8 068057 259392
	145/G	**Drinker with 1 l tank, stainless steel nipple** *Packing in carton: 24 pcs. – Vol. 0,040 m³ – Kg. 3,84* *1152 pcs. on pallet 120x80x242 cm* *1440 pcs. on pallet 120x100x242 cm*	8 068057 259408
	145/H	**Automatic drinker with 6 cm basin – in plastic (nylon)** *Packing in carton: 10 pcs. – Vol. 0,019 m³ – Kg. 2,28* *1020 pcs. on pallet 120x80x239 cm* *1200 pcs. on pallet 120x100x242 cm*	8 068057 259415
	145/I	**Automatic drinker with 12 cm basin – in plastic (nylon)** *Packing in carton: 10 pcs. – Vol. 0,019 m³ – Kg. 3,18* *1020 pcs. on pallet 120x80x239 cm* *1200 pcs. on pallet 120x100x242 cm*	8 068057 259422
	145/D	**Stainless steel nipple, threaded** *Packing in carton: 1.500 pcs. – Vol. 0,026 m³ – Kg. 21*	8 068057 259361
	145/EN	**Plastic water tank with cover and ball valve (black)** *Packing in carton*	8 068057 259385
	145/E	**Plastic water tank with cover and ball valve (white)** *Packing in carton*	8 068057 259378

DRINKERS for pigeons

	140/E	**Siphon drinker** *Packing in carton: 10 pcs. – Vol. 0,20 m³ – Kg. 6,2* *100 pcs. on pallet 120x82x249 cm* *150 pcs. on pallet 123x108x249 cm*	8 068057 259248

Hobby Line

DRINKERS for pigs

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	6130-5	**Nipple drinker for piglets ½", in stainless steel, Ø 16 mm** *Packing in bag: 20 pcs.*	8 068057 260473
	6131-5	**Nipple drinker for fattening ½", in stainless steel, Ø 20 mm** *Packing in bag: 20 pcs.*	8 068057 260480
	6132-5	**Nipple drinker ½" for sows and boars, in stainless steel, Ø 25 mm** *Packing in bag: 20 pcs.*	8 068057 260497
	6133-5	**Nipple drinker ¾" for sows and boars, in stainless steel, Ø 25 mm** *Packing in bag: 20 pcs.*	8 068057 260503

Hobby Line

DRINKERS for pigs

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	6110-5	**Nipple for bowl drinker ½" short, in stainless steel** *Packing in bag: 20 pcs.*	8 068057 260428
	6111-5	**Trough-nipple ½"short, in stainless steel** *Packing in bag: 20 pcs.*	8 068057 260435
	6112-5	**Trough-nipple ½" long, in stainless steel** *Packing in bag: 20 pcs.*	8 068057 260442
	6113-5	**Socket, female thread ½" in stainless steel** *Packing in bag: 20 pcs.*	8 068057 260459
	6201	**Bracket ½" 15°, in stainless steel, acid-resistant** *Packing in bag: 10 pcs.*	8 068057 258470
	6202	**Bracket ½" 45°, in stainless steel, acid-resistant** *Packing in bag: 10 pcs.*	8 068057 258487

DRINKERS WITH HANDLE
Art. 139/MN - 140/MN - 1415

The drinkers with handle by River Systems® have the following characteristics:

The **four legs** on the dome become a stable support while filling the siphon. They have been designed to give a perfect and stable base for the inverted siphon.

The **handle** is big, strong and ergonomic to provide a handy and comfortable grip. The loop allows hanging the drinker.

The **rounded profile** on the upper part prevents any deposit of solid or liquid sediments.

The design allows **easy assembly of the handle** and enables improved grip and easier rotation.

Tray with **sockets for legs** art. 1801 (optional).

They are available in three capacities:

Art. 139/MN
5 litre plastic drinker

Art. 140/MN
10 litre plastic drinker

Art. 1415
15 litre plastic drinker

DRINKERS WITH HANDLE AND LEGS
Art. 139/MN/P - 140/MN/P - 1415P - 140/B/P

The push-in legs by River Systems® lift the plastic drinkers by 65 mm (approx. 2,56”) off the ground, keeping the water free from floor contamination, and allowing your animals to drink more comfortably. They can be inserted or removed as necessary.
They come in a 4-piece kit, all contained within a plastic bag.

The plastic drinkers complete with legs are the following:

Art. 139/MN/P
5 litre plastic drinker with legs

Art. 140/MN/P
10 litre plastic drinker with legs

Art. 1415P
15 litre plastic drinker with legs

Art. 140/B/P
15 litre plastic drinker with handle cap and legs

DISC BOTTLE HOLDER DRINKER
Art. 137/A

The disc bottle holder drinker for chicks by River Systems® is functional and user-friendly and is suitable for various types of bottles available in the market.

The size of the holes allow the chicks to drink without getting wet or falling into the drinker.

The edges of the 10 holes where the chicks drink from are rounded off and trimmed to prevent animals from being hurt.

The chosen adaptor, once screwed on the bottle, shall be snapped into the specific central hole.

To refill the bottle you can either pull it out along with the insert or unscrew it.

Improved coupling between plate and upper disc.

The drinker is supplied with **3 adaptors**, each one having different diameters and threads. Suitable for various types of plastic bottles available in the market.

HORIZONTAL NIPPLE DRINKER “STILLA”

Art. 1401

The nipple drinker Stilla can be screw-mounted on a variety of recipients to supply your poultry always clean water. Its shape and threaded support allow to mount it easily and quickly without using any tool: just make on the bottom of the recipient wall as many holes as the Stilla drinkers you want to install, then fasten them. Its sturdy design and the first quality materials assure a long life with little maintenance. The small cup at the bottom recuperates any droplet. The drinker, working at 360°, is operated by a spring that along with an O-ring assures its tightness: the bird gets the water out of the recipient by pushing or moving the stainless steel pin. Its bright yellow colouring allows animals to locate it easily while its distinctive shape allows them to drink in a simple and ergonomic way. Stilla is recommended for poultry.



RIVER SYSTEMS Since 1961

FEEDERS

RIVER SYSTEMS

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	125/A	**Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m3 – Kg. 5,83* *120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm* *In container: 20': 3.800 pcs. / 40': 7.800 pcs. / 40' HC 9.200 pcs. stacked* *Animals/feeder: 4-5 chickens*	8 068057 259002
	125/A/P	**Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m3 – Kg. 6,16* *120 pcs. on pallet 120x80x227 cm* *150 pcs. on pallet 120x100x227 cm* *Animals/feeder: 4-5 chickens*	8 068057 260633
	126/A	**Plastic poultry feeder with lid, metal central rod and anti-waste profile – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m^3 – Kg. 8,75* *50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm* *125 pcs. on pallet 120x137x228 cm* *In container: 20': 2.000 pcs. / 40': 4.300 pcs. / 40' HC 5.050 pcs. stacked* *Animals/feeder: 10 chickens*	8 068057 259026
	126/A/P	**Plastic poultry feeder with lid, metal central rod, anti-waste profile and legs – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m^3 – Kg. 9,07* *50 pcs. on pallet 120x80x228 cm* *80 pcs. on pallet 120x100x228 cm* *125 pcs. on pallet 120x137x228 cm* *Animals/feeder: 10 chickens*	8 068057 260657
	125/A/R	**Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m^3 – Kg. 5,83* *Pallets and containers as in art. 125/A* *Animals/feeder: 4-5 chickens*	8 068057 259019
	126/A/R	**Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m^3 – Kg. 8,75* *Pallets and containers as in art. 126/A* *Animals/feeder: 10 chickens*	8 068057 259033
	125/AR/P	**Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m^3 – Kg. 6,16* *Pallets as in art. 125/A* *Animals/feeder: 4-5 chickens*	8 068057 260640

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	126/AR/P	**Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and legs – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m³ – Kg. 9,07* *Pallets as in art. 126/A* *Animals/feeder: 10 chickens*	8 068057 260664
	2110	**"ARCUS"** **Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m³* *120 pcs. on pallet 120x80x227 cm / 150 pcs. on pallet 120x100x227 cm* *In container: 20': 3.800 pcs./ 40': 7.800 pcs./ 40' HC 9.200 pcs. stacked* *Animals/feeder: 4-5 chickens*	8 068057 260770
	2110P	**"ARCUS"** **Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m3* *120 pcs. on pallet 120x80x227 cm* *150 pcs. on pallet 120x100x227 cm* *Animals/feeder: 4-5 chickens*	8 068057 260787
	2120	**"ARCUS"** **Plastic poultry feeder with metal central rod, lid, and anti-waste profile and fins – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m³* *50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm* *125 pcs. on pallet 120x137x228 cm* *In container: 20': 2.000 pcs./ 40': 4.300 pcs./ 40' HC 5.050 pcs. stacked* *Animals/feeder: 10 chickens*	8 068057 260794
	2120P	**"ARCUS"** **Plastic poultry feeder with metal central rod, anti-waste profile and fins, lid, and legs – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m³* *50 pcs. on pallet 120x80x228 cm / 80 pcs. on pallet 120x100x228 cm* *125 pcs. on pallet 120x137x228 cm* *Animals/feeder: 10 chickens*	8 068057 260800
	2111	**"ARCUS GYRO"** **Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m³* *Pallets and containers as in art. 2110* *Animals/feeder: 4-5 chickens*	8 068057 260817

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	2111P	**"ARCUS GYRO"** **Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 9 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m^3 – Kg. 8,75* *Pallets as in art. 2110* *Animals/feeder: 4-5 chickens*	8 068057 260824
	2121	**"ARCUS GYRO"** **Plastic poultry feeder with threaded bar for adjustment, lid and anti-waste profile and fins – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,070 m^3 – Kg. 6,16* *Pallets and containers as in art. 2120* *Animals/feeder: 10 chickens*	8 068057 260831
	2121P	**"ARCUS GYRO"** **Plastic poultry feeder with threaded bar for adjustment, lid, anti-waste profile and fins, and legs – capacity 20 litres** *Packing in carton: 5 pcs. – Vol. 0,135 m^3 – Kg. 9,07* *Pallets as in art. 2120* *Animals/feeder: 10 chickens*	8 068057 260848
	2122	**NEW** **"ARCUS MAGNA"** **Plastic feeder with metal vertical rod, plastic horizontal rod, lid, anti-waste profile and fins, big tray – capacity 20 litres** *Packing in carton: 5 pcs.*	8 068057 261456
	2005	**"COMPACTA"** **Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 12 litres** *Packing in carton: 10 pcs. – Vol. 0,208 m^3 – Kg. 11,53* *In container: 20': 2.100 pcs. / 40': 4.400 pcs. / 40' HC 5.000 pcs. stacked* *Animals/feeder: 5-6 chickens*	8 068057 260695
	2005P	**"COMPACTA"** **Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres** *Packing in carton: 10 pcs. – Vol. 0,295 m^3 – Kg. 16,23* *80 pcs. on pallet 128x100x206 cm* *In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs. stacked* *Animals/feeder: 11 chickens*	8 068057 260701

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	2010	**"COMPACTA"** **Plastic poultry feeder, 3 adjustment positions, lid and anti-waste grill, no-rod – capacity 22 litres** *Packing in carton: 10 pcs. – Vol. 0,295 m^3 – Kg. 16,23* *80 pcs. on pallet 128x100x206 cm* *In container: 20': 1.500 pcs. / 40': 3.200 pcs. / 40' HC 3.700 pcs. stacked* *Animals/feeder: 11 chickens*	8 068057 260671
	2010P	**"COMPACTA"** **Plastic poultry feeder, 3 adjustment positions, lid, anti-waste grill and legs, no-rod – capacity 22 litres** *Packing in carton: 10 pcs. – Vol. 0,,295 m^3 – Kg. 16,83* *80 pcs. on pallet 128x100x206 cm* *Animals/feeder: 11 chickens*	8 068057 260688
	1801	**4-piece kit of push-in legs in neutral bag** *Packing in bag: 4 pcs. – Kg. 0,06*	8 068057 260718
	1801-90	**4-piece kit of push-in legs in hangable bag** *Confez. in sacchetto: 4 pcs. – Kg. 0,06*	8 068057 260947
	125	**Galvanised poultry feeder with lid – capacity 8 litres** *Packing in carton: 10 pcs. – Vol. 0,078 m^3 – Kg. 16* *240 pcs. on pallet 122x81x212* cm *300 pcs. on pallet 122x102x212 cm*	8 068057 258050
	126	**Galvanised poultry feeder with lid – capacity 22 litres** *Packing in carton: 5 pcs. – Vol. 0,092 m^3 – Kg. 13* *100 pcs. on pallet 130x83x214 cm* *125 pcs. on pallet 123x102x219 cm*	8 068057 258067

Hobby Line

FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	127	**Galvanised poultry feeder with lid – capacity 37 litres** *Packing on pallet: 50 pcs. – Vol.. 1,92 m^3 – Kg. 202*	8 068057 258074
	127/AA	**Galvanised feeder type 18-40 for turkeys – hollow vertical rod. Cylinder capacity: 22 litres** *Packing on pallet*	8 068057 259064
	127/AB	**Galvanised feeder type 18-40 for turkeys – solid vertical rod. Cylinder capacity: 22 litres** *Packing on pallet*	8 068057 259071
	126/B	**Plastic lid for feeders art. 126, 126/A, 126/A/R, 2120, 2121, 127/AA and 127/AB**	8 068057 259040
	126/F	**Plastic lid for feeders art. 126, 127/AA and 127/AB, with diam. 65 mm hole for feed drop tube**	8 068057 259057
	127/C	**Galvanised anti-waste ring for art. 127/AA and 127/AB**	8 068057 259088

Hobby Line

FEEDERS for poultry - rain shields

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	306/1	**Galvanised rain shield for feeder art. 125**	8 068057 259552
		Galvanised rain shield for feeder art. 125/A, 125/A/R, 2110 and 2111	
	307/1	**Galvanised rain shield for feeder art. 126**	8 068057 259569
		**Galvanised rain shield for feeder art. 126/A, 126/A/R 2120 and 2121**	
	308/1	**Galvanised rain shield for feeder art. 127**	8 068057 259583

Hobby Line

FEEDERS for poultry - rain shields

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	309/1	**Galvanised rain shield for feeder art. 2005**	8 068057 260855
	310/1	**Galvanised rain shield for feeder art. 2010**	8 068057 260862

RIVER SYSTEMS

Hobby Line

FEED TROUGHS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	120	**Galvanised feed trough with grid for chicks, L=30 cm** *Packing in carton: 24 pcs. – Vol. 0,025 m^3 – Kg. 6,0* *1296 pcs. on pallet 120x80x230 cm* *1944 pcs. on pallet 120x101x230 cm* *Animals/feeder: 16 chicks*	8 068057 258005
	**121**	**Galvanised feed trough with grid for chicks, L=50 cm** *Packing in carton: 24 pcs. – Vol... 0,044 m^3 – Kg. 8,0* *1056 pcs. on pallet 120x80x250 cm* *1344 pcs. on pallet 120x100x250 cm* *Animals/feeder: 22 chickens*	8 068057 258012
	122	**Galvanised feed trough with grid for chickens, L=50 cm** *Packing in carton: 12 pcs. – Vol. 0,096 m^3 – Kg. 9,0* *240 pcs. on pallet 120x81x219 cm* *324 pcs. on pallet 122x100x230 cm* *Animals/feeder: 8 chickens*	8 068057 258029
	122/A	**Galvanised feed trough with grid for chickens, L=75 cm** *Packing in carton: 12 pcs. – Vol. 0,137 m^3 – Kg. 11,0* *180 pcs. on pallet 122x80x222 cm* *276 pcs. on pallet 122x118x245 cm* *Animals/feeder: 12 chickens*	8 068057 258951
	123	**Galvanised feed trough with grid for chickens, L=100 cm** *Packing in carton: 12 pcs. – Vol. 0,178 m^3 – Kg. 13,0* *120 pcs. on pallet 120x81x222 cm* *180 pcs. on pallet 122x102x222 cm* *Animals/feeder: 16 chickens*	8 068057 258036
	120ARS	**Plastic feed trough with grid for chicks, L=50 cm** *Packing in carton: 12 pcs. – Vol. 0,036 m^3 – Kg. 2,72* *756 pcs. on pallet 122x81x251 cm* *864 pcs. on pallet 120x100x251 cm*	8 068057 258920
	121/A/R	**Plastic feed trough with grid for chickens, L=50 cm** *Packing in carton: 6 pcs. – Vol. 0,058 m^3 – Kg. 2,88* *222 pcs. on pallet 120x80x254 cm* *324 pcs. on pallet 120x108x254 cm* *Animals/feeder: 8 chickens*	8 068057 258944
	123/A/R	**Plastic feed trough with grid for chickens, L=100 cm** *Packing in carton: 7 pcs. – Vol. 0,096 m^3 – Kg. 5,8* *140 pcs. on pallet 123x80x219 cm* *175 pcs. on pallet 123x102x219 cm*	8 068057 258982

Hobby Line

FEED TROUGHS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	121/A	**Plastic feed trough with metal grid for chickens, L=50 cm** *Packing in carton: 6 pcs. – Vol. 0,050 m³ – Kg. 3,75* *222 pcs. on pallet 120x80x254 cm* *324 pcs. on pallet 120x108x254 cm*	8 068057 258937
	122/AA	**Plastic feed trough with metal grid for chickens, L=75 cm** *Packing in carton: 6 pcs. – Vol. 0,073 m³ – Kg. 5,0* *150 pcs. on pallet 120x80x237 cm* *180 pcs. on pallet 120x101x237 cm*	8 068057 258968
	124	**Galvanised feed trough with 16 holes for chicks, L=30 cm** *Packing in carton: 24 pcs.* *Animals/feeder: 16 chicks*	8 068057 258043
	124/A	**Galvanised feed trough with 24 holes for chicks, L=50 cm** *Packing in carton: 24 pcs.*	8 068057 258999
	129	**Galvanised hanging feed trough L=700 mm** *Packing in carton: 24 pcs. – Vol. 0,153 m³ – Kg. 11,70* *192 pcs. on pallet 120x80x214 cm* *360 pcs. on pallet 123x100x224 cm*	8 068057 258081
	129/A	**Galvanised hanging feed trough L=800 mm** *Packing in carton: 24 pcs.*	8 068057 259095
	129/B	**Galvanised hanging feed trough L=900 mm** *Packing in carton: 24 pcs. – Vol. 0,195 m³ – Kg. 14,50* *192 pcs. on pallet 120x80x214 cm* *288 pcs. on pallet 126x100x214 cm*	8 068057 259101
	129/C	**Galvanised hanging feed trough L=1000 mm** *Packing in carton: 24 pcs. – Vol. 0,214 m³ – Kg. 15,50* *192 pcs. on pallet 120x84x214 cm* *288 pcs. on pallet 126x102x214 cm*	8 068057 259118

Hobby Line

TREADLE FEEDERS for poultry

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	7200	**"ALMA"** **Galvanised treadle feeder – capacity 17 litres** *Packing in carton: 1 pcs. – Vol 0,046 m^3 – Kg. 7,83* *32 pcs. on pallet 120x80x225 cm* *48 pcs. on pallet 120x100x225 cm*	8 068057 258494
	7210	**"ALMA"** **Galvanised treadle feeder – capacity 28 litres** *Packing in carton: 1 pcs. – Vol 0,062 m^3 – Kg. 9,34* *24 pcs. on pallet 120x80x225 cm* *32 pcs. on pallet 120x100x225*	8 068057 258500

500 KG FEEDER for poultry

	7500	**"GRANDIA"** **Galvanised feeder for exterior – capacity 500 Kg** *Packing in crate: 15 pcs. – Vol 5,882 m^3 – Kg. 1825*	8 068057 258517

RIVER SYSTEMS

Hobby Line

FEEDERS for rabbits

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	131	**Galvanised feeder - 1 compartment** *Packing in carton: 24 pcs. – Vol. 0,075 m³ – Kg. 8,60* *528 pcs. on pallet 120x80x236 cm* *720 pcs. on pallet 120x101x253 cm*	8 068057 258098
	131/B	**Galvanised feeder - 1 compartment, with lid** *Packing in carton: 24 pcs. – Vol. 0,075 m³ – Kg. 9,80* *Pallet as in art. 131*	8 068057 259132
	131/A	**Galvanised feeder - 2 compartments** *Packing in carton: 12 pcs. – Vol. 0,064 m³ – Kg. 6,50* *300 pcs. on pallet 120x80x249 cm* *372 pcs. on pallet 120x108x241 cm*	8 068057 259125
	131/C	**Galvanised feeder - 2 compartments, with lid** *Packing in carton: 12 pcs. – Vol. 0,064 m³ – Kg. 7,40* *Pallet as in art. 131/A*	8 068057 259149
	132	**Galvanised feeder - 1 compartment** Dimensions: width: 145 mm - height: 232 mm - depth: 133 mm *Packing in carton: 24 pcs. – Vol. 0,123 m³ – Kg. 11,40* *480 pcs. on pallet 122x86x249 cm* *480 pcs. on pallet 122x100x229 cm*	8 068057 258104
	132/A	**Galvanised feeder - 1 compartment, with lid** Dimensions: width: 145 mm - height: 232 mm - depth: 133 mm *Packing in carton: 24 pcs. – Vol. 0,123 m³ – Kg. 12,05* *Pallet as in art. 132*	8 068057 259156
	**133**	**Galvanised feeder - 2 compartments "Small"** Dimensions: width: 190 mm - height: 232 mm - depth: 133 mm *Packing in carton: 24 pcs. – Vol. 0,164 m³ – Kg. 15,00* *240 pcs. on pallet 120x80x229 cm* *360 pcs. on pallet 124x100x229 cm*	8 068057 258111
	**133/A**	**Galvanised feeder - 2 compartments "Small", with lid** Dimensions: width: 190 mm - height: 232 mm - depth: 133 mm *Packing in carton: 24 pcs. – Vol. 0,164 m³ – Kg. 16,80* *Pallet as in art. 133*	8 068057 259163

Hobby Line

FEEDERS for rabbits

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	**134**	**Galvanised feeder - 2 compartments "Large"** Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm *Packing in carton: 12 pcs. – Vol. 0,108 m^3 – Kg. 8,30* *192 pcs. on pallet 120x80x214 cm* *288 pcs. on pallet 120x100x242 cm*	8 068057 258128
	134/A	**Galvanised feeder - 2 compartments "Large", with lid** Dimensions: width: 235 mm - height: 232 mm - depth: 133 mm *Packing in carton: 12 pcs. – Vol. 0,108 m^3 – Kg. 9,70* *Pallet as in art. 134*	8 068057 259170
	135	**Galvanised feeder - 3 compartments** Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm *Packing in carton: 12 pcs. – Vol. 0,123 m^3 – Kg. 10,10* *240 pcs. on pallet 122x86x249 cm* *240 pcs. on pallet 122x100x229 cm*	8 068057 258135
	135/A	**Galvanised feeder - 3 compartments, with lid** Dimensions: width: 292 mm - height: 232 mm - depth: 133 mm *Packing in carton: 12 pcs. – Vol. 0,123 m^3 – Kg. 11,05* *Pallet as in art. 135*	8 068057 259187
	136/A	**Galvanised feeder - 4 compartments, with lid** Dimensions: width: 390 mm - height: 232 mm - depth: 133 mm *Packing in carton: 12 pcs. – Vol. 0,164 m^3 – Kg. 14,09* *Pallet as in art. 136*	8 068057 259194

Hobby Line

FEEDERS - various

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	296	**Plastic chick tray feeder D. 24 cm** *Packing in carton: 60 pcs. – Vol.. 0,031 – Kg 5,92* *2880 pcs. on pallet 120x80x225 cm* *3840 pcs. on pallet 120x100x225 cm*	8 068057 258302
	297	**Polystyrene chick tray feeder D.40 cm** *Packing in carton: 40 pcs. – Vol. 0,045 m^3 – Kg. 10,8* *640 pcs. on pallet 120x80x124 cm* *960 pcs. on pallet 120x108x124 cm*	8 068057 258319
	**297-06**	**NEW** **Plastic chick tray feeder D.40 cm** *Packing in carton: 40 pcs. – Vol. 0,045 m^3* *640 pcs. on pallet 120x80x124 cm* *960 pcs. on pallet 120x108x124 cm*	8 068057 261463

FEEDERS for pigeons

	140/D	**Feeder** *Packing in carton: 10 pcs. – Vol. 0,10 m^3 – Kg. 4,2* *180 pcs. on pallet 120x80x235 cm* *250 pcs. on pallet 120x100x235 cm*	8 068057 259231

“ALMA” TREADLE FEEDERS
Art. 7200 - 7210

The design of the innovative treadle feeder in 1 mm thick galvanised sheet prevents any feed waste. Stepping on the treadle, the bird opens the tilt door that gives access to the feed. Two birds can eat at the same time. A rubber bumper prevents the tilt door from hitting the feeder back wall. The feeder is pre-assembled, except for the treadle plate and feet, which are mounted easily.
The main features are:

Diamond-shaped lid to avoid stagnant water, already assembled on the feeder.

Anti-drip rim to prevent the feed from getting wet.

Lid blocking button and tilt door hinges made from nylon for a longer life.



Anti-waste nylon grid. It prevents the birds from scooping out the feed.

Knurled knobs to adjust the height of the feed distribution shutter.



Perforated treadle to easily remove dirt and to provide the bird with a steady and comfortable support.

Hook to adjust the weight necessary to open the tilt door: from 0,25 to 2 Kg (rat and vermin proof).

Plastic supporting feet to avoid the direct contact of the sheet with the soil, thus preventing oxidations that compromise the feeder life.

They are available in two capacities:

Art. 7200
“Alma” 17 litres
(approx. 12 Kg of pellet feed)

Art. 7210
“Alma” 28 litres
(approx. 20 Kg of pellet feed)

“COMPACTA” FEEDERS
Art. 2005 - 2010 - 2005P - 2010P

Characteristics:
The Compacta feeder by River Systems® is available in two capacities: 12 and 22 litres (about 8,5 and 15,5 Kg of pellet feed).
The feeder is made in first quality durable plastic, the main yellow body is one piece and self-supporting, so there are no central or cross bars. It is very easy to assemble and the feed in the tray can be adjusted using one of the three holes available. The feeder comes complete with a lid and it can either stand or be hung. The anti-waste grill and the hanging loop are integrated parts of the feeder body. The design allows for safe and effective stacking.
The feeder can be purchased with or without the legs that lift it off the ground by 65 mm (about 2,56”); this keeps the feed free from floor contamination and allows the animals to eat more comfortably. The legs can be inserted or removed according to necessity.

Art. 2005
“Compacta” 12 litres

Art. 2005P
“Compacta” 12 litres with legs

Art. 2010
“Compacta” 22 litres

Art. 1801
Kit of 4 push-in legs

Art. 2010P
“Compacta” 22 litres with legs

FEEDERS “ARCUS”

Art. 2110 - 2120 - 2110P - 2120P



Characteristics:

ARCUS is the ideal for those who use the hopper feeders as a tool to feed their animals, as it allows to do it without waste and with the typical simplicity of all the River Systems® products. The metal rod allows several regulation levels of the feed in the tray. The regulation is allowed by a split pin that fixes the plastic cylinder at three different heights.

The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder

Art. 2110

“Arcus” 9 litres

Art. 2120

“Arcus” 20 litres

Art. 1801

Kit of 4 push-in legs

Art. 2110P

“Arcus” 9 litres with legs

Art. 2120P

“Arcus” 20 litres with legs

FEEDERS “ARCUS GYRO”

Art. 2111 - 2121 - 2111P - 2121P

Characteristics:

Versatile and reliable, as required by people using hopper feeders, ARCUS GYRO is the perfect tool to feed your animals simply and without waste. The particular adjustment system integrated to the nylon bars allows to have as much feed as you want in the tray. The adjustment is made by rotating the cylinder, and the innovative system by steps saves from accidental turning of the cylinder, preventing the animals from changing the set adjustment.
The anti-waste fins (whose design is registered) have been expressly designed to allow the animals to eat in a correct way, while preventing them from using their beak to spill the feed from the tray. Feed saving will be the immediate result, as well as a cleaner litter. Unwanted animals will not find feed on the ground anymore.

- Tray, cylinder and lid in long-lasting, high quality plastic
- They allow to adjust the feed quantity in the tray
- Designed expressly to optimise the volumes when cylinders and trays are piled (storage and shipment)
- They can be lifted from the ground thanks to the special 65mm high legs. When used with the chicks, the feeder is placed directly on the ground, while the legs become extremely useful for older animals as they allow to keep the feed clean and ensure animals eat more properly and easily
- The hole at the top of the rod allows to hang the feeder

Art. 2111

“Arcus Gyro” 9 litres

Art. 2121

“Arcus Gyro” 20 litres

Art. 1801

Kit of 4 push-in legs

Art. 2111P

“Arcus Gyro” 9 litres with legs

Art. 2121P

“Arcus Gyro” 20 litres with legs

FEEDERS WITH LEGS
Art. 2110P - 2120P - 2111P - 2121P - 125/AP - 126/AP - 125/AR/P 126/AR/P - 2005P - 2010P

The push-in legs by River Systems® lift the plastic feeders by 65 mm (approx. 2,56”) off the ground, keeping the feed free from floor contamination, and allowing your animals to eat more comfortably. They can be inserted or removed according to necessity.

They come in a 4-piece kit, all contained within a plastic bag.

The feeders with legs are the following:

Art. 2110P
9 litre “Arcus” feeder with metal central rod and legs

Art. 2111P
9 litre “Arcus Gyro” adjustable feeder with nylon central rod and legs

Art. 125/A/P
9 litre feeder with metal central rod and legs

Art. 125/AR/P
9 litre adjustable feeder with nylon central rod and legs

Art. 2005P
12 litre “Compacta” feeder with legs

Art. 2120P
20 litre “Arcus” feeder with metal central rod and legs

Art. 2121P
20 litre “Arcus Gyro” adjustable feeder with nylon central rod and legs

Art. 126/A/P
20 litre feeder with metal central rod and legs

Art. 126/AR/P
20 litre adjustable feeder with nylon central rod and legs

Art. 2010P
22 litre “Compacta” feeder with legs

500 KG GALVANISED FEEDER “GRANDIA”
Art. 7500

Side view

Side view with
open partitions

Views with upper cover open



Possibility of lifting by forklift thanks to the special legs

500 KG GALVANISED FEEDER “GRANDIA”

The details

The opening process of the partitions

When the partitions are closed, the chain is hanging on the hook at the base of the partition itself and to the protection roof

Pull the chain to lift the partition

Hang the chain to the hook on the feeder wall to keep the partition open

Upper view of the open feeder



Detail of the open feeder with the central support



Detail of feed distribution

TURKEY FEEDERS
Art. 127/AA - 127/AB

In order to improve our range of products, River Systems® has created a variation of its metal feeder art. 127/AA as well as some accessories that will offer various applications.

Art. 127/AA

It combines the tray of the 40 Kg feeder and the cylinder of the 18 Kg one, allowing increased feeding space. The vertical rod is hollow.

Art. 127/AB

It's exactly as art. 127/AA, but with solid vertical rod that prevents the formation of bacteria due to the possible accumulation of feed inside the hollow bar. It reduces the necessary cleaning time and operations.

The rod is supplied with pre-drilled holes to regulate the cylinder at various heights.

Both art. 127/AA and art. 127/AB can be provided with the following accessories. You can choose from:

Art. 126/B
Standard plastic cover

Art. 126/F
Perforated plastic cover, allows filling the feeder by flexible auger

Art. 127/C
Galvanised anti-waste ring with external reinforcing and anti-cut rim. Manufactured for easy assembly on the feeder tray due to the adjustable design.

RIVER SYSTEMS Since 1961

INCUBATORS

Egg Tech
Incubation Technologies

RIVER SYSTEMS

Hobby Line

INCUBATORS

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	512	**“ET 12”** **Digital semi-automatic incubator, capacity 12 eggs (48 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	0 806805 692071
	512/A	**“ET 12”** **Digital incubator, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	0 806805 692101
	512/BM	**“ET 12”** **Digital semi-automatic incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,00* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	8 068057 261197
	512/A/BM	**“ET 12”** **Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	8 068057 261166
	524	**“ET 24”** **Digital semi-automatic incubator, capacity 24 eggs (96 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	0 806805 692064
	524/A	**“ET 24”** **Digital incubator, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	0 806805 692095

RIVER SYSTEMS

Hobby Line

INCUBATORS

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	524/BM	**“ET 24”** **Digital semi-automatic incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,044 – Kg 4,30* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	8 068057 261203
	524/A/BM	**“ET 24”** **Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	8 068057 261173
	549	**“ET 49”** **Digital semi-automatic incubator, capacity 49 eggs (196 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	0 806805 692057
	549/A	**“ET 49”** **Digital incubator, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	0 806805 692088
	549/BM	**“ET 49”** **Digital semi-automatic incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting** *Packing in carton: 1 pcs. – Vol.. 0,071 – Kg 6,20* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	8 068057 261210
	549/A/BM	**“ET 49”** **Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	8 068057 261180

RIVER SYSTEMS

Hobby Line

INCUBATORS

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	512/A/S	**NEW** **“ET 12” SUPER** **Digital incubator, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	8 068057 261470
	512/A/S/BM	**NEW** **“ET 12” SUPER** **Digital incubator with Biomaster™, capacity 12 eggs (48 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,030 – Kg 3,50* *54 pcs. on pallet 120x80x235 cm* *81 pcs. on pallet 120x110x235 cm*	8 068057 261500
	524/A/S	**NEW** **“ET 24” SUPER** **Digital incubator, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	8 068057 261487
	524/A/S/BM	**NEW** **“ET 24” SUPER** **Digital incubator with Biomaster™, capacity 24 eggs (96 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol.. 0,05 – Kg 4,70* *36 pcs. on pallet 120x80x234 cm* *54 pcs. on pallet 120x103x234 cm* *In container: 20’: 584 pcs./ 40’: 1.184 pcs.*	8 068057 261517
	549/A/S	**NEW** **“ET 49” SUPER** **Digital incubator, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	8 068057 261494
	549/A/S/BM	**NEW** **“ET 49” SUPER** **Digital incubator with Biomaster™, capacity 49 eggs (196 quail eggs), with temperature and humidity setting + “Ovomatic” egg turning unit** *Packing in carton: 1 pcs. – Vol. 0,078 – Kg 6,50* *28 pcs. on pallet 120x81x249 cm* *40 pcs. on pallet 120x114x249 cm* *In container: 20’: 398 pcs./ 40’: 814 pcs./ 40’ HC: 896 pcs.*	8 068057 261524

Hobby Line

INCUBATORS - accessoires

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	549/A/24S	**NEW** **“ET 49 SOLARIS”** **Digital incubator, capacity 49 eggs (196 quail eggs), operating at 24V, to be matched to the SOLARIS control unit**	8 068057 261531
	570	**NEW** **“SOLARIS”** **Control unit to feed the 24V incubator with mains supply, solar power and car batteries**	8 068057 261548
	556M-1	**“OVOMATIC”** **Egg turning unit for ET 12, ET 24 and ET 49 incubators** *Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60*	0 806805 692118
	556M-90	**“OVOMATIC” IN COLOUR PACKAGING** **Egg turning unit for ET 12, ET 24 and ET 49 incubators in colour packaging** *Packing in carton: 1 pcs. – Vol.. 0,0027 – Kg 0,60*	8 068057 260930
	557M	**NEW** **“OVOLVO”** **Egg turning unit for ET 12, ET 24, ET 49, ET 12 SUPER, ET 24 SUPER and ET 49 SUPER incubators: control of min./max tilting degree, oscillation time and random function**	8 068057 261555
	560	**NEW** **“NEBULA”** **Ultrasonic humidifier for humidity control** *Packing in carton: 1 pcs. – Vol. 0,0027 – Kg 1,20*	8 068057 261036
	164	**Egg candler** *Packing in carton*	8 068057 258272

“ET 12” DIGITAL INCUBATORS

Art. 512 - 512/A - 512/BM - 512/A/BM

The 12 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 12 medium/large eggs or 48 small eggs (e.g. quail).
ET 12 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 12 hen-eggs or similar / 48 quail-eggs

Voltage: single phase, 230 V CE — Average daily consumption: max. 1 kW/24 h

Rated frequency: 50/60 Hz — Maximum power: 80W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE — Average daily consumption: max. 3W

Rated frequency: 50/60 Hz — 1 tilting every 2 hours

Full, step by step manual included!

Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.

Plastic floor where to lay the eggs three days before hatching (included).

The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.

The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.

Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).

The **inspection windows** allow you to follow all the stages of incubation.

The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

“ET 24” DIGITAL INCUBATORS

Art. 524 - 524/A - 524/BM - 524/A/BM

The 24 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 24 medium/large eggs or 96 small eggs (e.g. quail).
ET 24 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 24 hen-eggs or similar / 96 quail-eggs
Voltage: single phase, 230 V CE — Average daily consumption: max. 1,7 kW/24 h
Rated frequency: 50/60 Hz — Maximum power: 130W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE — Average daily consumption: max. 3W
Rated frequency: 50/60 Hz — 1 tilting every 2 hours

Full, step by step manual included!

The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.

Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).

The **inspection windows** allow you to follow all the stages of incubation.

Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.

Plastic floor where to lay the eggs three days before hatching (included).

The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.

The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

“ET 49” DIGITAL INCUBATORS

Art. 549 - 549/A - 549/BM - 549/A/BM

The 49 egg digital incubators by River Systems® are designed to hatch hen-eggs as well as pheasant, guinea fowl, quail, partridge, grey partridge, rock partridge, turkey, palmipeds (goose, mallard, all breeds of duck, etc.), peacock, pigeon, exotic birds and birds of prey. Its capacity is up to 49 medium/large eggs or 196 small eggs (e.g. quail).
ET 49 are designed to be simple and straightforward to use, at the same time offering innovative technical solutions and high reliability. The **egg turning unit**, when present, tilts the ergonomically designed swinging egg tray making the incubator automatic. Instead, the **Biomaster™** prevents the spread of infections in embryos, which is one of the main death causes during hatching.

Technical characteristics of incubator:

Capacity: 49 hen-eggs or similar / 196 quail-eggs
Voltage: single phase, 230 V CE — Average daily consumption: max. 2,3 kW/24 h
Rated frequency: 50/60 Hz — Maximum power: 170W

Technical characteristics of egg turning unit:

Voltage: single phase, 230 V CE — Average daily consumption: max. 3W
Rated frequency: 50/60 Hz — 1 tilting every 2 hours

Full, step by step manual included!

Openings to fill the water basins from the outside without opening the incubator, thus preventing the heat and humidity loss.

Plastic floor where to lay the eggs three days before hatching (included).

The eggs are housed in the **swinging egg tray** whose tilting is changed with the external egg tilting handle or continuously and automatically by the egg turning unit.

The yellow incubators are treated in all parts with **Biomaster™**, the permanent antibacterial additive with silver ions.

Digital display. It is possible to **set the temperature** from 30°C to 40°C with 0,1°C steps by pressing the (+) and (-) buttons (Programme Mode).

The **inspection windows** allow you to follow all the stages of incubation.

The egg cradle specific design allows to accommodate both **small eggs** (up to 4 quail eggs) and **large eggs** (like goose eggs).

ULTRASONIC HUMIDIFIER FOR HUMIDITY CONTROL
"NEBULA®"
Art. 560

The patented NEBULA® system can control humidity so that the set value is attained and kept constant, without producing wide, longlasting and unwanted fluctuations in temperature and humidity during the incubation.
In fact, thanks to its continuous variable system, NEBULA® supplies energy to the water by means of an ultrasound generator, producing microscopic droplets (fog effect). The supplied hose conveys the droplets to the incubator. Getting in contact with the heat, the droplets instantly evaporate creating humidity that the fan in the incubator homogenises. Moreover, the functioning of NEBULA® is not affected by the surrounding area conditions.

Characteristics:
Tank capacity: 2L
voltage: 230 Volt 50/60 Hz single phase

Full, step by step manual included!

Flexible hose. Connects NEBULA® to the incubator and conveys inside it the microscopic droplets made by the ultrasonic system.

Incubator lid/hose connection. The connection and the nut link NEBULA® to any small/ medium capacity incubator through a ø23mm hole.

The **base** has a security float that signals low water level by means of the related icon on the display. A centrifugal fan conveys the droplets from NEBULA®'s base into the incubator.

Skidproof feet

Digital display. Allows the regulation of humidity from 30% to 90% and shows the days of incubation. The display shows also the intensity of NEBULA®'s functioning and its alarms.

Mini USB. Connects NEBULA® to the humidity sensor to be placed inside the base of the incubator.

RIVER SYSTEMS Since 1961

PLUCKING MACHINES

RIVER SYSTEMS

Hobby Line

PLUCKING MACHINES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	148/1-2	**"PIUMINA STANDARD"** **Wet plucking machine in stainless steel, with 24 finger aluminium roller, for poultry and similar.** **Production 30-40 birds/hour – motor 0,25 KW one-phase** *Packing in carton: 1 pcs. – Vol. 0,14 m^3 – Kg. 19,0* *20 pcs. on pallet 120x80x231 cm* *30 pcs. on pallet 120x100x231 cm*	0 806805 692125
	148/1-2S	**"PIUMINA SUPER"** **Wet plucking machine in stainless steel, with 30 finger aluminium roller, for poultry and similar.** **Production 30-40 birds/hour – motor 0,25 KW one-phase** *Packing in carton: 1 pcs. – Vol. 0,14 m^3 – Kg. 19,0* *20 pcs. on pallet 120x80x231 cm* *30 pcs. on pallet 120x100x231 cm*	0 806805 692132
	148/1-2Q	**"PIUMINA QUAILS"** **Wet plucking machine in stainless steel, with 36 finger aluminium roller, for quails and similar.** **Production 30-40 birds/hour – motor 0,25 KW one-phase** *Packing in carton: 1 pcs. – Vol. 0,14 m^3 – Kg. 19,0* *20 pcs. on pallet 120x80x231 cm* *30 pcs. on pallet 120x100x231 cm*	0 806805 692149
	148-2	**"PIUMONA"** **Wet plucking machine in stainless steel, with 54 finger aluminium roller, for poultry and similar.** **Production 50-80 birds/hour – motor 0,25 KW one-phase** *Packing in carton: 1 pcs. – Vol. 0,314 m^3 – Kg. 35*	8 068057 259521
	9900	**NEW** **"CYLINDRA"** **Rotary wet plucking machine** **Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase** *Packing in carton: 1 pcs. – Kg. 58*	8 068057 261227
	9920	**NEW** **"CYLINDRA BASICA"** **Rotary wet plucking machine** **Capacity: about 30sec to pluck up to 3-4 free-range chickens of 1,5kg at the same time – motor 0,75 KW single phase** *Packing in carton: 1 pcs. – Kg. 56*	8 068057 261425

Hobby Line

PLUCKING MACHINES - accessories

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	**46148100**	**STANDARD ROLLER** **Accessory 24-finger roller in aluminium for "Piumina" plucking machine (for poultry)** *Packing in carton*	8 068057 258883
	46148110	**"SUPER" ROLLER** **Accessory 30-finger roller in aluminium for "Piumina" plucking machine (for poultry)** *Packing in carton*	8 068057 258890
	46148120	**QUAIL ROLLER** **Accessory 36-finger roller in aluminium for "Piumina" plucking machine (for quails)** *Packing in carton*	8 068057 258906
	161	**Chicken plucking finger** *Packing in carton*	8 068057 258265
	161/Q	**Quail plucking finger** *Packing in carton*	8 068057 259538
	161-01	**Plucking finger for Cylindra** *Packing in carton*	8 068057 261432

Hobby Line

PLUCKING MACHINES - accessories

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	160	**Slaughtering tongs** *Packing in carton*	8 068057 258258
	213	**Funnel for slaughtering unit** *Packing in carton*	8 068057 258296
	213/A	**Funnel for slaughtering unit with support** *Packing in carton*	8 068057 259545

“PIUMINA” PLUCKING MACHINES, CAP. 30-40 BIRDS/HOUR
Art. 148/1-2 - 148/1-2S - 148/1-2Q

The “PIUMINA” plucking machine has been both technically and aesthetically completely revised. Furthermore, it is produced in **three** versions:

1. Art. 148/1-2 **(PIUMINA STANDARD)** with 24 chicken plucking fingers
2. Art. 148/1-2S **(PIUMINA SUPER)** with 30 chicken plucking fingers
3. Art. 148/1-2Q **(PIUMINA QUAILS)** with 36 quail plucking fingers

Emergency OFF button incorporated in normal ON/ OFF switch.

Reinforcement of the motor support.

New legs in square section galvanised steel, shaped to grant the perfect stability of the machine.

The lateral hole allows for easy installation of the optional accessory roller.

Adjustable feet guarantee working stability on uneven surfaces.

STANDARD ROLLER

Art. 46148100 – 24 finger chicken roller in aluminium (preassembled on art. 148/1-2)

“SUPER” ROLLER

Art. 46148110 – 30 finger chicken roller in aluminium (preassembled on art. 148/1-2S)

QUAIL ROLLER

Art. 46148120 – 36 finger quail roller in aluminium (preassembled on art. 148/1-2Q)

Specifications:

- Capacity: 30/40 birds/h
- Dimensions plucking machine: 510x410x760 mm - Weight: Kg 19 – Packing dimensions: 600x300x440 mm
- Body in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single phase, 50Hz - Input: kW 0,25
- Pressure die-cast aluminium roller featuring 24/30/36 replaceable rubber fingers

“PIUMONA” PLUCKING MACHINE, CAP. 50-80 BIRDS/HOUR
Art. 148-2

The “PIUMONA” plucking machine has been both technically and aesthetically revised. Now the machine is:

→ STEADIER thanks to the reinforced body;
→ SAFER thanks to the emergency OFF button incorporated in the normal ON/OFF switch;
→ MORE PROTECTED: the stainless steel parts are covered by a removable film.

Emergency switch



Aluminium roller with bigger diameter and 54 fingers for a quicker and effective plucking

Chicken plucking finger (art. 161)

Specifications:

- Capacity: 50/80 birds/hour
- Dimensions plucking machine: 600x500x1110 mm
- Dimensions carton: 640x570x1080 mm
- Weight: Kg 33,5
- Body and protection hood in stainless steel with removable protecting film in PVC
- Electric motor: 220/230V single-phase, 50Hz
- Input: kW 0,25
- Pressure die-cast aluminium roller featuring 54 replaceable rubber fingers.

RIVER SYSTEMS Since 1961

GRINDING MILLS

GRINDING MILL “MISTRAL 50L”
Art. 650P

Art. 650P MISTRAL 50L	
Mistral 50 dimensions	44x44x101 cm
Packing dimensions	45x45x67 cm
Gross weight Net weight	9.60 Kg / 21,16 Lb 7,70 Kg / 16,98 Lb
Power	1,6 HP 1,2 kW
Hourly output	40/200 Kg/h

Shaped steel metal knife for an optimal and uniform grinding.

GRINDING MILL “MISTRAL 50L” (50 litre plastic bin)

Handy and with reduced dimensions, it grinds any kind of grains: corn, barley, oats, rye, wheat, millet, pepper, etc. Cool milling without dust.

Output per hour
It may vary according to the product to grind, to its dampness and to the sieve used.

- with supplied sieves (Ø 2 – 4 – 6 – 8 mm, in pressed galvanized sheet): approx. 100-200 Kg/h
- with optional sieves (Ø 0,6 – 0,8 – 1,5 mm): approx. 40-70 Kg/h. Ø 0,6 mm sieve is in stainless steel – Ø 0,8 and 1,5 mm sieves are in pressed galvanized sheet.

Hopper capacity: Kg 10. The machine can be started only with full hopper.

Grinding knife: made of high resistance steel.

Special type collector motor, single-phase only, voltage 220V, 50 Hz, 12.000 rpm. Ground terminal wiring according to C.E.I. regulations.

Packing in carton: 1 pcs. – Vol. 0,135 m^3 – Kg. 9,12
16 Pcs. on pallet 120x90x242 cm
20 Pcs. on pallet 134x90x242 cm

8 068057 260725

Hobby Line

GRINDING MILL - accessories

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	650P0,6	**Stainless steel sieve, holes diam. 0,6 mm**	8 068057 260954
	650P0,8	**Galvanised sieve, holes diam. 0,8 mm**	8 068057 260961
	650P1,5	**Galvanised sieve, holes diam. 1,5 mm**	8 068057 260978

RIVER SYSTEMS Since 1961

ACCESSORIES

RIVER SYSTEMS

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4304-00	**Extension L= 5,5 cm** *Packing in bag: 100 pcs.*	8 068057 259927
	4305-00	**Extension L= 12 cm** *Packing in bag: 100 pcs.*	8 068057 259934
	4308-00	**Extension L= 9 cm** *Packing in bag: 100 pcs.*	8 068057 259958
	4332-00	**Elbow extension** *Packing in bag: 100 pcs.*	8 068057 260084
	4307-04	**Clamp bracket for extension** *Packing in carton:* 100 pcs.	8 068057 259941
	4311-00	**Hose connector, internal thread ½" for hose ½"**	8 068057 259965
	4215-05	**Washer ½", internal thread** *Packing in bag: 50 pcs.*	8 068057 259828
	4313-00	**Elbow hose connector with sleeve cap nut ½"** *Packing in bag: 100 pcs.*	8 068057 259972
	4330-06	**Hose connector, external thread ½" for hose ¾"** *Packing in bag: 100 pcs.*	8 068057 260060
	4331-06	**Hose connector, external thread ½" for hose ½"** *Packing in bag: 100 pcs.*	8 068057 260077

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4378-00	**Clamp with sleeve cap nut ½", for pipe D. 25 – 26,7** *Packing in carton*	8 068057 260336
	4379-00	**Clamp with sleeve cap nut ½", for pipe D. 26,7** *Packing in carton*	8 068057 260596
	4372-04	**Hose connector thread ⅛" for black hose 6 x 9** *Packing in bag: 50 pcs.*	8 068057 260305
	4333-00	**Adapter for stainless steel nipple D. 10 mm** *Packing in bag*	8 068057 260091
	4335-00	**Adapter for combi nipple D. 10 mm** *Packing in bag*	8 068057 260107
	9303-05	**Elbow connector for D. 10 mm hose** *Packing in bag: 100 pcs.*	8 068057 260589
	146	**Tee connector 10 mm** *Packing in bag: 100 pcs.*	8 068057 258241
	146/A	**Elbow connector 10 mm** *Packing in bag: 100 pcs.*	8 068057 259460
	146/B	**Cross connector 10 mm** *Packing in bag: 100 pcs.*	8 068057 259477
	146/C	**Straight connector 10 mm** *Packing in bag: 100 pcs.*	8 068057 259484
	146/F	**End cap 10 mm** *Packing in bag: 100 pcs.*	8 068057 259514

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4040-00	**Automatic drinker Art.4007-00 with 5 cm extension** *Packing in carton: 500 pcs.*	8 068057 259651
	4041-00	**Automatic drinker Art.4007-00 with 9 cm extension** *Packing in carton: 500 pcs.*	8 068057 259668
	4042-00	**Automatic drinker Art.4007-00 with 12 cm extension** Packing in carton: 500 pcs.	8 068057 259675
	4047-00	**Automatic drinker Art.4006-00 with 5 cm extension** *Packing in carton: 800 pcs.*	8 068057 259682
	4048-00	**Automatic drinker Art.4006-00 with 9 cm extension** *Packing in carton: 500 pcs.*	8 068057 259699
	4049-00	**Automatic drinker Art.4006-00 with 12 cm extension** *Packing in carton: 500 pcs.*	8 068057 259705
	4006-00	**Combi drinker (small) – for adult birds** *Packing in carton: 500 pcs.*	8 068057 259606
	4007-00	**Automatic drinker (big) – for chicks** *Packing in carton: 500 pcs.*	8 068057 259613
	4060	**Starter cup to snap on square pipe – adapter for stainless steel nipple** *Packing in carton: 200 pcs.*	8 068057 258388
	4060-1	**Starter cup to snap on square pipe – adapter for nipple with plastic body** *Packing in carton: 200 pcs.*	8 068057 259712

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4017-01	**SNAP-CUP for square pipe** *Packing in carton: 500 pcs.*	8 068057 259637
	4019-01	**SNAP-CUP for square pipe, 90° turned** *Packing in carton: 500 pcs.*	8 068057 259644
	4612-01	**Drip cup small** *Packing in carton: 500 pcs.*	8 068057 260398
	4617-01	**Drip cup big** *Packing in carton: 250 pcs.*	8 068057 260404
	4011-01	**Mini-drinker, red for chicks, connection to 6x9 hose mm (T-piece excluded)** *Packing in carton: 25 pcs.*	8 068057 259620
	4336-07	**T-piece for connection in series of Mini-drinkers** *Packing in bag*	8 068057 260114

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	**4510-09**	**Brooder guard 400x800 mm, for rearing pen** *Packing in carton: 72 pcs.*	8 068057 260350
	4511-09	**Stabiliser for the cut for drinking line** *Packing in carton: 25 pcs.*	8 068057 260367
	4512-09	**Connecting hinge for brooder guard (2 per brooder guard)** *Packing in bag*	8 068057 260374
	4513-04	**Support for brooder guard** *Packing in carton*	8 068057 260381

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	145/D	**Stainless steel nipple drinker - vertical** *Packing in carton: 1500 pcs.*	8 068057 259361
	4003	**Stainless steel push nipple - vertical** *Packing in carton: 1200 pcs.*	8 068057 258364
	4022	**Stainless steel nipple – multidirectional** *Packing in carton: 1500 pcs.*	8 068057 258371
	145/B	**Clip drinker in stainless steel, complete with nipple holder and stainless steel nipple – for rabbits** *Packing in carton: 300 pcs. – Vol 0,027 m^3 – Kg. 9,0*	8 068057 259347
	145/B/ CLIP	**Stainless steel clip with nipple holder – for rabbits** *Packing in carton*	8 068057 259354
	145/M	**Screw bracket drinker (screws excluded) complete with nipple holder, T connection and stainless steel nipple – for rabbits** *Packing in carton: 300 pcs. – Vol 0,027 m^3 – Kg. 13,5*	8 068057 259439
	145/M/ CLIP	**Screw bracket (screws excluded) complete with nipple holder, T connection – for rabbits** *Packing in carton*	8 068057 259446

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	145/EN	**Water tank with cover and ball valve – black** *Packing in carton: 50 pcs.*	8 068057 259385
	145/E	**Water tank with cover and ball valve – white** *Packing in carton: 50 pcs.*	8 068057 259378
	4204-04	**Ball valve with two nozzles, ½" thread** *Packing in carton: 50 pcs.*	8 068057 259774
	4205	**Mini ball-valve ½"** *Packing in carton: 50 pcs.*	8 068057 258395
	146/E	**10 mm plastic outlet, complete** *Packing in bag*	8 068057 259507
	4209-00	**Elbow outlet ¾"** *Packing in carton: 25 pcs.*	8 068057 259798
	4249-00	**Straight outlet ¾"** *Packing in carton: 25 pcs.*	8 068057 259903
	4357-04	**Plug R 1/8"** *Packing in bag: 50 pcs.*	8 068057 260244
	4216-04	**Plug R ½"** *Packing in bag: 25 pcs.*	8 068057 259835

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4217-00	**Plastic nut ¾"** *Packing in bag: 25 pcs.*	8 068057 259842
	4218-00	**Plastic nut ½"** *Packing in bag: 25 pcs.*	8 068057 259859
	4212-05	**Gasket ¾" for external thread** *Packing in bag*	8 068057 259804
	4213-05	**Gasket ¾" for internal thread** *Packing in bag*	8 068057 259811
	4225-00	**Breather unit to glue on square pipe** *Packing in carton: 100 pcs.*	8 068057 259866
	4226-00	**Breather unit to glue on D.25 round pipe** *Packing in carton: 100 pcs.*	8 068057 259873
	4246-00	**Breather unit to glue on D.26,7 round pipe** *Packing in carton: 50 pcs.*	8 068057 259897
	4245-00	**Breather unit with tube connector** *Packing in carton: 50 pcs.*	8 068057 259880

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4373-04	**Transition piece for square pipe 22x22 to round one ¾”** *Packing in bag: 25 pcs.*	8 068057 260312
	4374-04	**Transition piece for square pipe 22x22 to D.25 round one** *Packing in bag: 25 pcs.*	8 068057 260329
	4303-04	**Elbow transition piece for square pipe 22x22 to round one ¾”** *Packing in bag: 25 pcs.*	8 068057 259910
	4375	**Transition piece for square pipe 22x22 to round D. 10,5** *Packing in bag: 25 pcs.*	8 068057 260749
	4348-04	**Push coupler for square pipe 22x22 (L=14 cm)** *Packing in carton: 300 pcs.*	8 068057 260176
	4353-04	**Push coupler for square pipe 22x22 (L=6 cm)** *Packing in carton: 300 pcs.*	8 068057 260206
	4351-04	**Glue coupler for square pipe 22x22** *Packing in bag: 25 pcs.*	8 068057 260183
	4352-04	**Long glue coupler for square pipe 22x22** *Packing in bag: 25 pcs.*	8 068057 260190
	4354-04	**Glue/push coupler for square pipe 22x22** *Packing in bag: 25 pcs.*	8 068057 260213

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4355-04	**T-glue coupler for square pipe 22x22** *Packing in bag: 25 pcs.*	8 068057 260220
	4358-04	**Elbow glue coupler for square pipe 22x22** *Packing in bag: 25 pcs.*	8 068057 260251
	4343-04	**Elbow glue coupler D.25 mm inside** *Packing in bag: 25 pcs.*	8 068057 260145
	4323-04	**Elbow glue coupler ¾" inside** *Packing in bag: 25 pcs.*	8 068057 260022
	4341-04	**Glue cap, D.25 mm inside** *Packing in bag: 25 pcs.*	8 068057 260121
	4342-04	**Glue cap, D.25 mm inside, with breather** *Packing in bag: 25 pcs.*	8 068057 260138
	4322-04	**Glue cap ¾" inside with breather** *Packing in bag: 25 pcs.*	8 068057 260015
	4344-04	**T glue coupler D.25 mm inside** *Packing in bag: 25 pcs.*	8 068057 260152
	4324-04	**T glue coupler ¾" inside** *Packing in bag: 25 pcs.*	8 068057 260039

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4345-04	**Transition piece D.25 mm inside** *Packing in bag: 25 pcs.*	8 068057 260169
	4325-04	**Transition piece ¾" inside** *Packing in bag: 25 pcs.*	8 068057 260046
	4356-04	**Transition piece ¾" thread to D.25 mm inside** *Packing in bag: 25 pcs.*	8 068057 260237
	4328-04	**Transition piece ¾" to round pipe ¾" inside** *Packing in bag: 25 pcs.*	8 068057 260053
	4361-05	**Expansion connector for square pipe 22x22** *Packing in carton: 400 pcs.*	8 068057 260268
	4363-05	**Expansion connector for square pipe 22x22 with clips** *Packing in carton: 400 pcs.*	8 068057 260275
	4365-05	**Tube connector for square pipe 22x22** *Packing in carton: 500 pcs.*	8 068057 260282
	4367-05	**Tube connector for square pipe 22x22 with clips** *Packing in carton: 500 pcs.*	8 068057 260299
	4392	**Stainless steel clip** *Packing in carton: 1500 pcs.*	8 068057 258401

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4102-04	**PVC square pipe 22x22 – length: on request** *Packing in bundle : 500 pcs.*	8 068057 259729
	4106-04	**PVC round pipe D.25 mm x 2,4 ND 16 – length: on request** *Packing in bundle : 500 pcs.*	8 068057 259750
	4103-08	**PVC clear pipe ¾”** *Packing in roll: 50 m*	8 068057 259736
	4109-05	**PVC black pipe ¾”** *Packing in roll: 50 m*	8 068057 259767
	4105-05	**PVC black pipe 6x9 (for Mini-drinker)** *Packing in roll: 50 m*	8 068057 259743
	146/D	**PVC black pipe D. 10 mm** *Packing in roll: 100 m*	8 068057 259491
	4315-00	**Clip for 22x22 nipple pipe** *Packing in carton: 3000 pcs.*	8 068057 259989
	4316-01	**Clamp bracket for 22x22 nipple pipe** *Packing in carton: 2500 pcs.*	8 068057 259996

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	4405	**Tube of TANGIT glue for PVC, 125 g** *Packing in carton*	8 068057 258418
	4411	**Scissors for square and round pipe** *Packing in bag*	8 068057 258425
	4414	**Pliers for clips** *Packing in bag*	8 068057 258432
	4442	**Drill bit D. 9,1 for nipple art. 4022** *Packing in bag*	8 068057 258449
	4452	**Drill bit D. 8,9 for nipple art. 145/D** *Packing in bag*	8 068057 258463
	4443	**Roller tap R ⅛”** *Packing in bag*	8 068057 258456
	4401-05	**Nipple key for nipple art. 145/D, 4022** *Packing in bag*	8 068057 260343

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	170	**Galvanised card holder dim. 11,2x17,4 cm** *Packing in carton: 50 pcs*	8 068057 258289

RIVER SYSTEMS

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	1510-01	**Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm – capacity 15-18 chicken *** *Packing in bundle: 1 pcs. - Vol: 0,024 m^3 - Kg 7,5* *50 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261043
	**1511-01**	**Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door – capacity 15-18 chicken *** *Packing in bundlle: 1 pcs. - Vol: 0,024 m^3 - Kg 7,5* *50 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261050
	1512-01	**Plastic crate for chicken transportation, dim. 95,5x57,0x27,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door + 1 side door – capacity 15-18 chicken *** *Packing in bundle: 1 pcs. - Vol: 0,024 m^3 - Kg 7,5* *50 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261067
	1520-01	**Plastic crate for chicken transportation, dim. 95,5x57,0x32,5 cm – 1 upper sliding door dim. 40x36 cm – capacity 18-20 chicken *** *Packing in bundle: 1 pcs. - Vol: 0,033 m^3 - Kg 8,5* *50 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261074
	**1521-01**	**Plastic crate for chicken transportation, dim. 95,5x57,0x32,5 cm – 1 upper sliding door dim. 40x36 cm + 1 front door – capacity 18-20 chicken *** *Packing in bundle: 1 pcs. - Vol: 0,033 m^3 - Kg 8,5* *50 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261081
	1530-05	**Plastic crate for quails/chicks transportation, dim. 60x29x24 cm – 1 front door – capacity 20-25 quails/ chicks *** *Packing in bundle: 1 pcs. - Vol: 0,021 m^3 - Kg 3* *200 pcs. on pallet 80x120x235 cm*	8 068057 261098

* Indicative capacity. Please consider the size of animals and the local temperature.

RIVER SYSTEMS

Hobby Line

ACCESSORIES

25.01.2020 (rev. 4)

Art.	Art. No.	Description	
	1540-06	**Plastic crate for game transportation, dim. 60x80x19 cm – 1 front door dim. 16x34,5 cm – capacity 10-15 birds *** *Packing: 1 pcs. - Vol: 0,091 m³ - Kg 10* *20 pcs. on pallet 80x120x235 cm*	8 068057 261104
	1541-06	**Plastic crate for game transportation, dim. 60x80x19 cm – 2 front doors dim. 16x34,5 cm – capacity 10-15 birds *** *Packing: 1 pcs. - Vol: 0,091 m³ - Kg 10* *20 pcs. on pallet 80x120x235 cm*	8 068057 261111
	**1550-05**	**Plastic egg tray, dim. 30x30 cm – capacity 30 eggs** *Packing in carton* *6000 pcs. on pallet 90x120x235 cm*	8 068057 261128
	**1560**	**Stacking egg box, ext. dim. 38x38x36,6 cm – capacity 180 eggs (6 x 30-egg trays)** *Packing: 1 pcs. - Vol: 0,529 m³ - Kg 1,94* *70 pcs. on pallet 80x120x235 cm* *In container 20': 1.280 pcs. stacked*	8 068057 261135
	1570-06	**Stacking egg box, ext. dim. 67x35,5x39 cm – capacity 360 eggs (12 x 30-egg trays)** *Packing: 1 pcs. - Vol: 0,928 m³ - Kg 3,21* *60 pcs. on pallet 110x130x235 cm* *In container 20': 640 pcs. stacked*	8 068057 261142
	1571	**Metal platform for loading/unloading eggs, ext. dim. 63x33x50 cm – for box capacity 360 eggs** *Packing: 1 pcs. - Vol: 0,104 m³ - Kg 15*	8 068057 261159

* Indicative capacity. Please consider the size of animals and the local temperature.

GENERAL SALE CONDITIONS:

1) The shipping risks are at the Customer's charge, even if the goods are supplied free domicile.
2) Any claim shall be made within 8 days from goods receipt or within 8 days from invoice receipt, in case of supply of services.
3) Any delay in the delivery doesn't allow the Customer to cancel the order, or to delay or suspend payments following receipt of goods.
4) The delivery of the goods is not binding and it is subordinated to RIVER SYSTEMS SRL's possibility of production and shipment. It is understood that the Company will take care to prepare the order with the minimal delay.
5) Data, pictures, catalogues and references are merely illustrative and informative and can be modified without notice.
6) River Systems has the right to suspend the delivery in case the goods are not collected within the agreed date, and to suspend the supplies in case of failure to pay expired invoices.
7) Sole place of jurisdiction: PADOVA.

WARRANTY:

1) The equipment is warranted for 12 months from the purchase date, which corresponds to the invoice date.
2) Warranty means the replacement or repair for free of the components or parts acknowledged as faulty from production.
3) For door-to-door servicing, the Buyer is required to pay the mileage allowance and to refund the board and lodging, if any. Nothing is due for the part replaced at River Systems' warehouse.
4) The warranty does not cover: all the electric elements, the damages caused by negligence, by lack of maintenance, by foreign bodies in the feed or water to distribute, and anyway by events not coming from the normal use of the equipment.
5) The warranty lapses if the equipment has been tampered with or repaired by non authorized personnel.
6) The warranty will not be extended following a breakdown.
7) Reimbursement for direct or indirect damages of any kind caused to people, things or animals by the use of the equipment is excluded.
8) Nobody is authorized to modify the above terms of guarantee or to issue new ones, either verbal or in written, without the written authorization by River Systems.

RIVER Since 1961
SYSTEMS

River Systems S.r.l.
via Marco Polo, 33
35011 Campodarsego (PD) Italy
Telefono +39.049.9202464 - Fax +39.049.9216057
www.riversystems.it - info@riversystems.it